

		2000 rpm			2250 rpm			2500 rpm			2750 rpm			2900 rpm			3250 rpm			3500 rpm			3750 rpm			4000 rpm			4250 rpm*																	
Δp [mbar]		Q [m³/h]	P [kW]	P _n [kW]																																										
COMPRESSION	425	-	-	-	-	-	-	-	-	-	23	1.29	1.50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-															
	400	-	-	-	-	-	-	-	-	-	26	1.23	1.50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-														
	375	-	-	-	-	-	-	23	1.10	1.50	29	1.17	1.50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-														
	350	-	-	-	-	-	-	26	1.04	1.50	32	1.12	1.50	46	1.30	1.50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-													
	325	-	-	-	-	-	-	30	0.98	1.50	35	1.06	1.10	49	1.24	1.50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-													
	300	-	-	-	-	-	23	0.82	1.50	33	0.93	1.50	39	1.00	1.10	53	1.18	1.50	62	1.31	1.50	-	-	-	-	-	-	-	-	-	-	-	-													
	275	-	-	-	-	-	27	0.77	1.50	37	0.87	1.10	42	0.94	1.10	56	1.11	1.50	66	1.24	1.50	-	-	-	-	-	-	-	-	-	-	-	-													
	250	-	-	-	-	-	30	0.72	1.10	40	0.82	1.10	46	0.88	1.10	60	1.05	1.50	70	1.18	1.50	79	1.32	1.50	-	-	-	-	-	-	-	-	-	-												
	225	-	-	-	24	0.58	1.10	34	0.66	1.10	44	0.76	1.10	50	0.82	1.10	64	0.98	1.10	73	1.11	1.50	83	1.24	1.50	-	-	-	-	-	-	-	-	-	-											
	200	-	-	-	28	0.53	1.10	38	0.61	1.10	48	0.71	1.10	54	0.77	1.10	67	0.92	1.10	77	1.04	1.50	86	1.17	1.50	95	1.31	1.50	-	-	-	-	-	-	-	-	-									
	175	-	-	-	33	0.48	1.10	43	0.56	1.10	52	0.65	1.10	58	0.71	1.10	71	0.85	1.10	81	0.97	1.10	90	1.10	1.50	99	1.24	1.50	-	-	-	-	-	-	-	-	-									
	150	28	0.37	1.10	37	0.43	1.10	47	0.51	1.10	57	0.59	1.10	62	0.65	1.10	75	0.79	1.10	85	0.90	1.10	94	1.03	1.50	103	1.16	1.50	111	1.31	1.50	-	-	-	-	-	-									
	125	32	0.32	1.10	42	0.39	1.10	52	0.46	1.10	61	0.54	1.10	67	0.59	1.10	80	0.73	1.10	89	0.83	1.10	97	0.95	1.10	106	1.08	1.50	115	1.23	1.50	-	-	-	-	-	-									
	100	38	0.28	1.10	47	0.34	1.10	57	0.41	1.10	66	0.48	1.10	71	0.53	1.10	84	0.66	1.10	93	0.77	1.10	101	0.88	1.10	110	1.01	1.50	118	1.15	1.50	127	1.30	1.50	-	-	-	-	-	-						
	75	43	0.24	1.10	53	0.29	1.10	62	0.36	1.10	71	0.43	1.10	76	0.47	1.10	88	0.60	1.10	97	0.70	1.10	105	0.81	1.10	114	0.93	1.10	122	1.07	1.50	130	1.21	1.50	-	-	-	-	-	-						
	50	50	0.20	1.10	58	0.25	1.10	67	0.30	1.10	76	0.37	1.10	81	0.42	1.10	93	0.53	1.10	101	0.63	1.10	109	0.74	1.10	118	0.85	1.10	126	0.98	1.10	134	1.13	1.50	-	-	-	-	-	-						
	25	56	0.15	1.10	64	0.20	1.10	73	0.25	1.10	81	0.32	1.10	86	0.36	1.10	97	0.47	1.10	105	0.56	1.10	113	0.66	1.10	121	0.78	1.10	129	0.90	1.10	137	1.04	1.50	-	-	-	-	-	-						
	0	63	0.11	1.10	71	0.15	1.10	78	0.20	1.10	86	0.26	1.10	91	0.30	1.10	102	0.40	1.10	110	0.49	1.10	118	0.59	1.10	125	0.70	1.10	133	0.82	1.10	141	0.96	1.10	-	-	-	-	-	-						
SUCTION	25	57	0.19	1.10	65	0.24	1.10	73	0.29	1.10	81	0.35	1.10	86	0.39	1.10	97	0.49	1.10	105	0.56	1.10	113	0.65	1.10	121	0.74	1.10	129	0.83	1.10	137	0.94	1.10	-	-	-	-	-	-						
	50	51	0.23	1.10	59	0.28	1.10	67	0.33	1.10	76	0.40	1.10	80	0.44	1.10	92	0.54	1.10	100	0.62	1.10	108	0.71	1.10	116	0.81	1.10	124	0.91	1.10	132	1.02	1.50	-	-	-	-	-	-						
	75	45	0.26	1.10	53	0.32	1.10	62	0.38	1.10	70	0.45	1.10	75	0.49	1.10	86	0.60	1.10	95	0.69	1.10	103	0.78	1.10	111	0.88	1.10	119	0.98	1.10	127	1.09	1.50	-	-	-	-	-	-						
	100	39	0.30	1.10	48	0.36	1.10	56	0.43	1.10	65	0.50	1.10	70	0.54	1.10	81	0.66	1.10	89	0.75	1.10	98	0.84	1.10	106	0.95	1.10	114	1.06	1.50	122	1.17	1.50	-	-	-	-	-	-						
	125	34	0.34	1.10	42	0.40	1.10	51	0.47	1.10	59	0.55	1.10	64	0.60	1.10	76	0.72	1.10	84	0.81	1.10	93	0.91	1.10	101	1.02	1.50	109	1.13	1.50	117	1.25	1.50	-	-	-	-	-	-						
	150	28	0.37	1.10	37	0.44	1.10	45	0.52	1.10	54	0.60	1.10	59	0.65	1.10	71	0.77	1.10	79	0.87	1.10	88	0.98	1.10	96	1.09	1.50	104	1.20	1.50	112	1.33	1.50	-	-	-	-	-	-						
	175	22	0.41	1.10	31	0.48	1.10	40	0.56	1.10	49	0.65	1.10	54	0.70	1.10	66	0.83	1.10	74	0.93	1.10	83	1.04	1.50	91	1.16	1.50	99	1.28	1.50	-	-	-	-	-	-									
	200	-	-	-	26	0.53	1.10	35	0.61	1.10	43	0.70	1.10	49	0.75	1.10	61	0.89	1.10	69	1.00	1.10	78	1.11	1.50	86	1.23	1.50	94	1.35	1.50	-	-	-	-	-	-									
	225	-	-	-	20	0.57	1.10	29	0.65	1.10	38	0.75	1.10	43	0.80	1.10	56	0.95	1.10	64	1.06	1.50	73	1.17	1.50	81	1.30	1.50	-	-	-	-	-	-	-	-	-	-								
	250	-	-	-	-	-	-	24	0.70	1.10	33	0.80	1.10	38	0.86	1.10	51	1.01	1.50	59	1.12	1.50	68	1.24	1.50	-	-	-	-	-	-	-	-	-	-	-	-	-								
	275	-	-	-	-	-	-	19	0.75	1.50	28	0.85	1.10	33	0.91	1.10	46	1.06	1.50	54	1.18	1.50	63	1.30	1.50	-	-	-	-	-	-	-	-	-	-	-	-	-								
	300	-	-	-	-	-	-	-	-	-	23	0.90	1.10	28	0.96	1.10	41	1.12	1.50	49	1.24	1.50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	325	-	-	-	-	-	-	-	-	-	23	1.01	1.50	36	1.18	1.50	44	1.30	1.50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	350	-	-	-	-	-	-	-	-	-	18	1.06	1.50	31	1.24	1.50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Tolerance on indicated values ± 10%.
 Data subject to change without notice.
 Curves referring to air at a temperature of 20 °C and atmospheric pressure of 1013 mbar (abs).
 *Only for GOR / GVR execution